



## VETERINARY PRODUCTS LABORATORY

IMPORT - EXPORT

Address: Av. B. Ader 3205 - (1605) Munro - Buenos Aires - República Argentina

Phone/Fax: 0054 11-4762-5163

E-mail: info@chinfield.com

Visit our Web site: [www.chinfield.com](http://www.chinfield.com)

## TECHNICAL DATA SHEET

**Product Name: COBRE PLUS + FÓSFORO CHINFIELD ®**

### FORMULA:

Glycine	10.00 g
Sodium Phosphate	20.00 g
Potassium Iodide	0.25 g
Sodium and Cobalt Edetate	3.00 g
Sodium and Copper Edetate	5.00 g
Sodium and Manganese Edetate	2.50 g
Formulation agents q.s. to	100 ml

### TARGET SPECIES:

Cattle. Swine.

### INDICATIONS:

Mineral supplement.

Adjuvant in cases of decreased fertility, hypothyroidism, anemia, osteopathy (spontaneous fractures in calves, joint deformities). Coadjuvant when it is necessary to increase copper, iodine, cobalt, and manganese during pregnancy, lactation, growth, fattening, convalescence, prepartum and pre-service, pre- and post-weaning.

### PRESENTATION:

White plastic bottle with label.

Content: 250 and 500 ml.

### APPEARANCE:

Clear solution, violet coloration.

### DOSAGE AND ADMINISTRATION:

Cattle:

Calves up to 200 kg b.w.: 1 ml every 50 kg b.w.

Steers and heifers: 5 ml per animal as a total dose.

Cows: 6 ml as a total dose.

Bulls: 8 ml as a total dose.

Swine:

0.5 ml every 25 kg b.w., applying a maximum of 2 ml.



## VETERINARY PRODUCTS LABORATORY

IMPORT - EXPORT

Address: Av. B. Ader 3205 - (1605) Munro - Buenos Aires - República Argentina

Phone/Fax: 0054 11-4762-5163

E-mail: [info@chinfield.com](mailto:info@chinfield.com)

Visit our Web site: [www.chinfield.com](http://www.chinfield.com)

Route of administration: Subcutaneous injection.

### **CONTRAINDICATIONS:**

Hypersensitivity to any of the components of the product.

### **SIDE EFFECTS:**

None observed when respecting the indicated doses.

### **PRECAUTIONS:**

Strictly respect the proposed dosage. Prior determination of mineral deficiency type is suggested. Do not apply to tired or exhausted animals. In such case, let them rest before application. Avoid increasing dosage in young animals. Ensure asepsis during injectable administration. Allow 30 days between application and slaughter for human consumption. Do not mix with other products.

### **WARNINGS:**

Keep out of reach of children and pets. National Poison Control Center: 0800-333-0160 Buenos Aires, Argentina.

Must be administered by a veterinarian.

Chinfield S.A. is not responsible for problems caused by improper use and/or storage of the product.

### **STORAGE CONDITIONS:**

Store below 30 °C, protected from light.

Do not refrigerate. Do not freeze.

SALES UNDER PRESCRIPTION ONLY

**Manufactured and Distributed by: Chinfield S.A. Av. Ader 3205, Munro, Buenos Aires, Argentina**

**E-Mail: [asuntosregulatorios@chinfield.com](mailto:asuntosregulatorios@chinfield.com)**

**[www.chinfield.com](http://www.chinfield.com)**