



VETERINARY PRODUCTS LABORATORY

IMPORT - EXPORT

Address: Av. B. Ader 3205 - (1605) Munro - Buenos Aires - República Argentina

Phone/Fax: 0054 11-4762-5163

E-mail: info@chinfield.com

Visit our Web site: www.chinfield.com

TECHNICAL DATA SHEET

Product Name: DEXAMETASONA COMPUESTA CHINFIELD ®

FORMULA:

Dexamethasone base	450 mg
Dexamethasone 21 Phosphate	450 mg
Triamcinolone	100 mg
Formulation agents q.s. to	100 ml

TARGET SPECIES:

Equines.

INDICATIONS:

Inflammatory processes of any etiology and location, especially collagen diseases. Allergic conditions. Rheumatic diseases. Acute and chronic joint pain. Stretching pain.

PRESENTATION:

Printed cardboard box containing one vial with label and leaflet.

Content: 10 ml.

APPEARANCE:

Viscous white suspension.

DOSAGE AND ADMINISTRATION:

Parenteral application: intramuscular, intra-articular, intrabursal.

1 ml per 100 kg b.w. or as directed by the veterinarian.

CONTRAINDICATIONS:

Hypersensitivity to any of the components of the product.

In cases of hypersensitivity. In acute systemic infections (unless specific antimicrobial therapy is established).

Do not use when live attenuated vaccines are applied. In cases of amyloidosis, mange, liver failure, kidney failure, ulcerative colitis, and gastric and duodenal ulcers. In systemic fungal infections.

Do not apply when a major wound is in the healing process, as this drug delays repair. Do not use in cases of laminitis.

Do not apply intra-articularly in septic arthritis or in cases of articular fractures.

Do not administer animals in their third trimester of gestation since dexamethasone could cause unwanted labor induction, although mares are very resistant to this effect, as at least doses of 100 mg of dexamethasone IM for three consecutive days are required to achieve it, due to the fact that this drug does not cross the placental barrier in this species.



VETERINARY PRODUCTS LABORATORY

IMPORT - EXPORT

Address: Av. B. Ader 3205 - (1605) Munro - Buenos Aires - República Argentina

Phone/Fax: 0054 11-4762-5163

E-mail: info@chinfield.com

Visit our Web site: www.chinfield.com

SIDE EFFECTS:

It may accelerate an undetected latent infection. Decrease in eosinophils and lymphocytes, reducing cell-mediated immunity. Decrease in T3 and T4. Increase in gastric hydrochloric acid. Hypercorticism caused by high continuous doses of corticosteroids for a prolonged time. Hypocorticism due to sudden suppression of the drug after prolonged treatment. Delay in healing processes.

WARNINGS:

Keep out of reach of children and pets. National Poison Control Center: 0800-333-0160 Buenos Aires, Argentina.

Must be administered by a veterinarian.

Chinfield S.A. is not responsible for problems caused by improper use and/or storage of the product.

STORAGE CONDITIONS:

Store below 30 °C, protected from light.

Do not refrigerate. Do not freeze.

SALES UNDER PRESCRIPTION ONLY

Manufactured and Distributed by: Chinfield S.A. Av. Ader 3205, Munro, Buenos Aires, Argentina

E-Mail: asuntosregulatorios@chinfield.com

www.chinfield.com