



## VETERINARY PRODUCTS LABORATORY

IMPORT - EXPORT

Address: Av. B. Ader 3205 - (1605) Munro - Buenos Aires - República Argentina

Phone/Fax: 0054 11-4762-5163

E-mail: info@chinfield.com

Visit our Web site: [www.chinfield.com](http://www.chinfield.com)

## TECHNICAL DATA SHEET

**Product Name: NABOLIC STRONG PET'S®**

### FORMULA:

Stanozolol 5.000 g

Formulation agents q.s. to 100 ml

### TARGET SPECIES:

Canines and felines.

### INDICATIONS:

Indicated for the recovery of organisms weakened by advanced age, diseases, and their convalescence, traumatic injuries or excessive work. Useful in cases of fractures, orthopedic conditions, muscular dystrophies, and general bone deficiencies. Also indicated as an appetite stimulant and to increase strength and vitality.

### PRESENTATION:

The product is presented in 10 ml colorless glass vials with label, box, and leaflet.

### APPEARANCE:

Viscous white suspension.

### DOSAGE AND ADMINISTRATION:

Canines: 0.04 to 0.2 ml per kg b.w.

Felines: 0.2 to 0.5 ml (depending on the size of the animal).

Administration route: deep intramuscular.

### CONTRAINDICATIONS:

Do not overdose.

Do not administer to pregnant females or males intended for breeding, as data on their effects in these cases are insufficient.

Do not administer in cases of malignant tumors of any etiology.

Animals with renal and/or cardiac deficiencies should be monitored by the veterinarian during treatment, as anabolic therapy may be accompanied by sodium and water retention.

### SIDE EFFECTS:

At the indicated doses, no undesirable side effects were detected.



## VETERINARY PRODUCTS LABORATORY

IMPORT - EXPORT

Address: Av. B. Ader 3205 - (1605) Munro - Buenos Aires - República Argentina

Phone/Fax: 0054 11-4762-5163

E-mail: [info@chinfield.com](mailto:info@chinfield.com)

Visit our Web site: [www.chinfield.com](http://www.chinfield.com)

These side effects may appear in cases of overdose and prolonged treatments, showing signs of virilization, cholestatic hepatotoxicity clinically manifested by anorexia, skin disorders, constipation, halitosis, flatulence, tympanism, etc., and biochemically characterized by an increase in alkaline phosphatase, bilirubin, total cholesterol, and GGT. Sodium and water retention with edema production, as well as diffuse alopecia localized on the rib cage, are also possible. These processes are reversible once the drug is discontinued.

Regarding incompatibility, we can mention adrenocorticotrophic hormone and corticosteroids, since prolonged use of these substances produces exaggerated protein catabolism.

### **WARNINGS:**

Keep out of reach of children and pets. National Poison Control Center: 0800-333-0160 Buenos Aires, Argentina.

Must be administered by a veterinarian.

Chinfield S.A. is not responsible for problems caused by improper use and/or storage of the product.

### **STORAGE CONDITIONS:**

Store below 30 °C, protected from light.

Do not refrigerate. Do not freeze.

SALES UNDER PRESCRIPTION ONLY

**Manufactured and Distributed by: Chinfield S.A. Av. Ader 3205, Munro, Buenos Aires, Argentina**

**E-Mail: [asuntosregulatorios@chinfield.com](mailto:asuntosregulatorios@chinfield.com)**

**[www.chinfield.com](http://www.chinfield.com)**